SOLRMOUNT

Create Innovate Optimise




DATA SHEET

PITCHED ROOF SYSTEMS


SOLRMOUNT
Create Innovate Optimise

Component SM-CORE-01-END-CAP-BLACK



Technical Specification

Roof application	Pitch roof
Dimensions	W45 mm
Weight	0.011kg
Colour	Black
Material	Plastic
Wind speed	<60m/s
Snow load	1.4Kn/㎡
Standards	GB50797/AS NZS1170.2-2011 EN1991,ASCE7-10 JIS C 8955




Solrmount Ltd. Rathkeale Co.Limerick. V94 XC90 sales@solrmount.com

SOLRMOUNT


Create Innovate Optimise

Component SM-CORE-01-END-CLAMP-BLACK



Technical Specification


Roof application	Pitch roof
Dimensions	W31.3 mm
Weight	0.048kg
Colour	Black
Material	AL6005-T5&SUS304
Wind speed	<60m/s
Snow load	1.4Kn/㎡
Standards	GB50797/AS NZS1170.2-2011 EN1991,ASCE7-10 JIS C 8955



Solrmount Ltd. Rathkeale Co.Limerick. V94 XC90 sales@solrmount.com


SOLRMOUNT
Create Innovate Optimise

Component SM-CORE-01-MID-CLAMP-BLACK



Technical Specification


Roof application	Pitch roof
Dimensions	W37.7 mm
Weight	0.045kg
Colour	Black
Material	AL6005-T5&SUS304
Wind speed	<60m/s
Snow load	1.4Kn/㎡
Standards	GB50797/AS NZS1170.2-2011 EN1991,ASCE7-10 JIS C 8955



Solrmount Ltd. Rathkeale Co.Limerick. V94 XC90 sales@solrmount.com


SOLRMOUNT
Create Innovate Optimise

Component SM-CORE-01-RAIL-BLACK



Technical Specification

Roof application	Pitch roof
Dimensions	L3300 mm
Weight	2.472kg
Colour	Black
Material	AL6005-T5
Wind speed	<60m/s
Snow load	1.4Kn/㎡
Standards	GB50797/AS NZS1170.2-2011 EN1991,ASCE7-10 JIS C 8955




Solrmount Ltd. Rathkeale Co.Limerick. V94 XC90 sales@solrmount.com

SOLRMOUNT


Create Innovate Optimise

Component SM-CORE-01-RAIL-JOINER-BLACK



Technical Specification

Roof application	Pitch roof
Dimensions	L150 mm
Weight	0.202kg
Colour	Black
Material	AL6005-T5&SUS304
Wind speed	<60m/s
Snow load	1.4Kn/㎡
Standards	GB50797/AS NZS1170.2-2011 EN1991,ASCE7-10 JIS C 8955




Solrmount Ltd. Rathkeale Co.Limerick. V94 XC90 sales@solrmount.com

SOLRMOUNT

Create Innovate Optimise

Component SM-CORE-01-SLATE-HOOK-BLACK



No.	1
Code	GG01503
Qty	1


No.	2
Code	LS00714
Qty	1

No.	3
Code	LM00103
Qty	1

Material	SUS304	SOLRMOUNT Solrmount limited			
Drawm by/Date	Eric 2026/7/24				
Checked/Data					
QA./Data					
Standard/Data		Code	GG0150301	ITEM NO.	SM-CORE-01-SLATE-HOOK-BLACK
Approved/Data		Scale	1:1	Page 1/1	View

Technical Specification

Roof application	Pitch roof
Dimensions	L172 mm
Weight	0.386kg
Colour	Black
Material	SUS304
Wind speed	<60m/s
Snow load	1.4Kn/㎡
Standards	GB50797/AS NZS1170.2-2011 EN1991,ASCE7-10 JIS C 8955




Solrmount Ltd. Rathkeale Co.Limerick. V94 XC90 sales@solrmount.com

SOLRMOUNT


Create Innovate Optimise

Component SM-CORE-01-TILE-HOOK-BLACK



Technical Specification

Roof application	Pitch roof
Dimensions	L204mm
Weight	0.607kg
Colour	Black
Material	SUS304
Wind speed	<60m/s
Snow load	1.4Kn/㎡
Standards	GB50797/AS NZS1170.2-2011 EN1991,ASCE7-10 JIS C 8955



Solrmount Ltd. Rathkeale Co.Limerick. V94 XC90 sales@solrmount.com